

Veterinary Feed Directive for use in Calves, Beef Cattle and Nonlactating Dairy Cattle  
Chlortetracycline

Client: JOE PRODUCER      Veterinarian: DR JD EXAMPLE  
Business or Home Address: 222 SECOND DRIVE      Address: 111 FIRST LANE  
Phone Number: XXX-XXX-XXXX      Phone Number: XXX-XXX-XXXX

Approximate number of animals to be treated: 100  
Location of animals: 222 SECOND LANE  
Special Instructions and/or other animal identifications:

FEED 4 OUNCES PER HEAD DAILY TO PROVIDE 750 MG PER 1500 ANIMAL

Indications, Drug Level in Medicated Feed, and Duration of Use (select one and specify the additional required information):

- ☐ A. For Growing Cattle (over 400 lbs): For the reduction of the incidence of liver abscesses.  
Drug level: \_\_\_\_\_ g/ton in order to provide 70 mg / head/ day  
Duration of use: \_\_\_\_\_ days
- ☐ B. For Beef Cattle: For the control of bacterial pneumonia associated with shipping fever complex caused by *Pasteurella spp.* susceptible to chlortetracycline.  
Drug level: \_\_\_\_\_ g/ton in order to provide 350 mg / head/ day  
Duration of use: \_\_\_\_\_ days
- ☐ C. For Beef Cattle (under 700 lbs.): Control of active infection of anaplasmosis caused by *Anaplasma marginale* susceptible to chlortetracycline.  
Drug level: \_\_\_\_\_ g/ton in order to provide 350 mg / head/ day  
Duration of use: \_\_\_\_\_ days
- ☒ D. For Beef Cattle (over 700 lbs.): Control of active infection of anaplasmosis caused by *Anaplasma marginale* susceptible to chlortetracycline.  
Drug level: 6000 g/ton in order to provide 0.5 mg/lb body weight / day  
Duration of use: 180 days
- ☐ E. For Calves, Beef, and Nonlactating Dairy Cattle ; For treatment of bacterial enteritis caused by *Escherichia coli* and bacterial pneumonia caused by *Pasteurella multocida* susceptible to chlortetracycline.  
Drug level: \_\_\_\_\_ g/ton in order to provide 10 mg/lb body weight / day  
Duration of use: \_\_\_\_\_ days (1 to 5 days)

Caution: Use of feed containing this Veterinary Feed Directive (VFD) drug in a manner other than as directed on the labeling (extra-label use) is not permitted.

For use in Dry Feeds Only. Not for Use in Liquid feed Supplements.

Residue Warnings: Zero-day withdrawal period. A withdrawal period has not been established for this product in pre-ruminating calves. Do not use in calves to be processed for veal.

Combination Use:

- ☐ This VFD only authorizes the use of the VFD drug(s) cited in this order and is not intended to authorize the use of such drug(s) in combination with any other animal drugs.
- ☐ This VFD authorizes the use of the VFD drug(s) cited in this order in the following FDA-approved, conditionally approved, or indexed combination(s) in medicated feed that contains the VFD drug(s) as a component. (List the specific approved combination(s)) \_\_\_\_\_
- ☒ This VFD authorizes the use of the VFD drug(s) cited in this order in any FDA-approved, conditionally approved, or indexed combination(s) in medicated feed that contains the VFD drug(s) as a component.

VFD Issuance Date: 01-01-xxxx      VFD Expiration Date: 6-01-XXXX  
Month/Day/Year  
(Not to exceed 6 months from issuance date)  
Veterinarian's Signature: Digitally signed by Veterinarian

Original – Veterinarian      Copy – Supplier      Copy – Client

All parties must retain a copy of this veterinary feed directive for 2 years after issuance